

BLANCO

CENIZA


BEIGE

ANTRACITA

MOKA



60x120 cm. 23.6x47.2 inches



Velasca-R Blanco
G.203



Velasca-R Ceniza
G.203



Velasca-R Antracita
G.203



Velasca-R Beige
G.203



Velasca-R Moka
G.203

			CAJA / BOX						PALET / PALLET			
			FORMATOS	SIZE	PIEZAS / PIECES	M²	ML	KG	CAJA / BOX	M²	ML	KG
	11		60x120 cm.	23.6x47.2 inches	2	1,44	-	36,13	24	34,56	-	867,00



80x180 cm.
31.5x70.9 inches
Tandem-R
G.206



Tandem-R R10
G.206



120x120 cm.
47.2x47.2 inches
Tandem-R
G.171



Tandem-R R10
G.171



Tandem-R R12
G.171



60x120 cm.
23.6x47.2 inches
Tandem-R
G.203



Tandem-R R10
G.203



Tandem-R R12
G.203




80x80 cm.
31.5x31.5 inches
Tandem-R
G.161



Tandem-R R10
G.161



Tandem-R R12
G.161



60x60 cm.
23.6x23.6 inches
Tandem
G.154



Tandem R10
G.154



Tandem R12
G.154


59,3x59,3 cm.
23.3x23.3 inches
Tandem-R
G.208




Tandem-R R10
G.208



Tandem-R R12
G.208



30x30 cm. aprox.
11.8x11.8 inches approx.
Mosaico Tandem
G.75
Mosaico Tandem R10
G.75



30x24,2 cm aprox
11.8x9.53 inches approx.
*** Mosaico Trellick**
G.78

*** El mosaico Trellick está disponible solo para combinar los tres modelos: Tassili, Faroe o Uyuni con cualquier color del modelo Tandem.**
The Trellick mosaic is available only to combine with the three models: Tassili, Faroe or Uyuni with any colour of the Tandem model.

El peldaño y el gradone pueden servirse con o sin rayado de hendidura. También disponibles en ángulo.
The Step Tread and gradone can be sold whit or whitout the ribbed notch. Angle is also available.

ANTIDESLIZANTE. Con el fin de dar una mayor seguridad en aquellas áreas transitables, cuyas condiciones de humedad y pendientes son mayores de lo habitual, hemos realizado las pruebas de ensayo según las normas: UNE EN 16165 (UNE 41901:2017 EX, UNE 41902:2017 EX, DIN 51130, DIN 51097, BS 7976-2:2002) y DCOF. Para más información, consultar nuestro departamento técnico.

SLIP RESISTANCE. With the purpose of providing increased safety in areas of pedestrian foot traffic where moisture and/or slopes are greater than normal, we have carried out tests according to the norms: UNE EN 16165 (UNE 41901:2017 EX, UNE 41902:2017 EX, DIN 51130, DIN 51097, BS 7976-2:2002) and DCOF. For more information on this, contact our Technical Department.



TANDEM R12



TANDEM R10

			FORMATOS	SIZE	CAJA / BOX				PALET / PALLET			
					PIEZAS / PIECES	M²	ML	KG	CAJA / BOX	M²	ML	KG
	11		30x24,2 cm. Mosaico	11.8x9.53 inches	10	0,726	-	14,85	30	21,78	-	445,50
	8,8		30x30 cm. Mosaico	11.8x11.8 inches	12	1,08	-	20,295	30	32,40	-	608,85
	8,8		59,3x59,3 cm.	23.3x23.3 inches	4	1,406	-	28,03	36	50,616	-	1009,08
	8,8		60x60 cm.	23.6x23.6 inches	4	1,440	-	28,70	36	51,840	-	1033,20
	10		80x80 cm.	31.5x31.5 inches	2	1,28	-	29,40	42	53,76	-	1234,84
	11		60x120 cm.	23.6x47.2 inches	2	1,44	-	36,13	24	34,56	-	867,00
	11		120x120 cm.	47.2x47.2 inches	1	1,44	-	36,125	38	54,72	-	1372,75
	11		80x180 cm.	31.5x70.9 inches	1	1,44	-	36,125	38	54,72	-	1372,75
 Rodapié cortado y biselado Cut and Bevelled skirting tile		6.916	9,4x59,3 cm.	3.7x23.3 inches	20	-	11,86	22,28	56	-	664,16	1247,68
		6.915	9,4x60 cm.	3.7x23.6 inches	20	-	12	22,50	56	-	672	1260
		6.916	9,4x60 cm. (Rectificado)	3.7x23.6 inches	15	-	9	18,98	56	-	504	1062,88
		6.54	9,4x80 cm.	3.7x47.2 inches	15	-	12	21,60	54	-	648	1166,40
		6.67	9,4x120 cm.	3.7x47.2 inches	10	-	12	28,2	36	-	432	1015,2
		6.917	33x59,3 cm.	13x23.3 inches	4	-	2,37	20,18	-	-	-	-
 Peldaño / Step Tread		6.76	33x60 cm.	13x23.6 inches	4	-	2,40	20,30	-	-	-	-
		6.83	33x80 cm.	13x31.5 inches	2	-	1,60	14	-	-	-	-
		6.92	33x120 cm.	13x47.2 inches	2	-	2,40	20	-	-	-	-
		6.91	33x180 cm.	13x70.9 inches	1	-	1,80	15	-	-	-	-
		6.910	33x59,3 cm.	13x23.3 inches	2	-	1,186	11,70	-	-	-	-
		6.89	33x60 cm.	13x23.6 inches	2	-	1,20	11,90	-	-	-	-
 Gradone		6.85	33x80 cm.	13x31.5 inches	2	-	1,60	15	-	-	-	-
		6.902	33x120 cm.	13x47.2 inches	2	-	2,40	26	-	-	-	-
		6.95	33x180 cm.	13x70.9 inches	1	-	1,20	19	-	-	-	-